

**Test Report**


No. 4715218-TL-01-R2

Date: January 25, 2021

Page 1 of 8

Dan Dryer A/S  
 Alsikevej 8,  
 8920 Randers, NV  
 Attention: kent Bonde

**This report supersedes the previous report # 4715218-TL-01-R1 due to update the testing notes.**

The following sample(s) was submitted & identified by the client as:		Diaper Changing Station – Wall mounted
Sample Description:	Diaper Changing Table, Wall mounted	
Packaging:	Not Provided	
Instructions for Use / Assembly:	Provided	
Date Code:	08-2020	
Product Identification Number:	Not Provided	
Manufacturer:	Dan Dryer A/S	
Country of Origin:	Not Provided	
Labeled Age Grading:	0 – 12 months	
Requested Age:	Not Provided	
SGS Assessed Age: (based on CR 14379/ ASTM F963)	Newborn – 12 months	
Date Sample(s) Received:	December 23, 2020	
Testing Period:	December 23, 2020 – May 6, 2021	

**Test Requested:**

**Result:**

Safety Specification for Diaper Changing Tables for Commercial Use – ASTM F2285-04 (2016)e1	PASS
CPSIA Section 101(a)(2) – Lead in Accessible Substrate Materials	PASS
CPSIA Section 101(f) – Lead in Paint/Similar Surface Coating Materials	PASS
CPSIA Section 108 - Phthalates	PASS

**Comments :** Only failing clauses of the previous report # 4715218-TL-01 are evaluated per client request. All other test results are referenced from the previous test report.

- Note # 1.** Client submitted PDF artwork for Packaging & Instruction Manual, so, all labelling & marking review are evaluated digitally.
- Hardware for assembly not provided with the sample, test is conducted by using laboratory’s hardware.
  - Part # 12 ( Gold Metal Long Screw ), Part # 13 ( Brass Metal Spacer ) & Part # 14 ( Silver Metal Set Screw ) are not be a part of changing table & will not ship with product as per client Confirmation by E-mail.
  - Client submitted LOG stating that this product is intended to use for purely commercial use, hence, product registration card is not required.

**X-1 :** Date of manufacturing is different on package ( 11-2020 ) & product ( 08-2020 ). However, client submitted ‘ LOG ’ dated May 6, 2021 stating that they will mark same date code ( 08-2020 ) on product & package on every product before shipping.

*“This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.”*

**Submitted Sample Photo :**



Sample




Packaging




Manufacturer



Testing picture



Warning Label



Instruction Manual

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. **Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.**"*

**Test Report**

No. 4715218-TL-01-R2

Date: January 25, 2021

Page 3 of 8

**Mechanical Hazards: Diaper Changing Tables for Commercial Use, ASTM F2285-04 (2016) e1**

**Procedure (Summary):** The submitted samples were tested for compliance with the requirements of ASTM F2285-04(2016)e1, Diaper Changing Tables for Commercial Use

<b>Sample I.D.:</b>	Stainless Steel Changing Station		
<b>Age Label on Product:</b>	Not Provided	<b>Age Applied in Testing:</b>	Newborn-50lbs

		Pass	Fail	N/A	Not Performed
<b>Safety Labeling Requirements</b>					
CPSIA Sec. 103	Tracking Label	X-1			
CPSIA Sec. 104	Product Registration Card			X	See Note-4

		Pass	Fail	N/A	Not Performed
<b>5</b>	<b>General Requirements</b>				
5.1	Lead in Paint or Surface Coatings	X			
5.2	Expose Part (Splinters)	X			
5.3	Latching Mechanisms			X	
5.4	Openings	X			
5.5	Scissoring, Shearing, Pinching, Crushing	X			
5.6	Labeling	X			

		Pass	Fail	N/A	Not Performed
<b>6</b>	<b>Performance Requirements</b>				
6.1	Static Load	X			
6.2	Restraining System	X			
6.3	Protective Components			X	
6.4	Edges	X			

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."*

		Pass	Fail	N/A	Not Performed
<b>8</b>	Marking and Labeling				
8.1	Labeling	X			
8.1.1	Manufacturer's Identification	X			
8.1.2	Model Number	X			
8.1.3	Date Code	X-1			
8.2	Upholstery Label			X	
8.3	Warnings				
8.3.1	Warning Size	X			
8.3.2	Exact Warnings	X			

		Pass	Fail	N/A	Not Performed
<b>9</b>	Instructional Literature				
9.1	Instructions	X			
9.2	Warnings	X			
9.3	Accessories	X			

**Conclusion:** The submitted sample **does comply** with all requested sections of *ASTM F2285-04 (2016)e1*, Commercial Changing Tables.

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."*

**Test Report**

No. 4715218-TL-01-R2

Date: January 25, 2021

Page 5 of 8

**Chemistry :**
**1. CPSIA Section 101(a)(2) – Lead in Accessible Substrate Materials**

Test Method: With reference to CPSC Test Method: CPSC-CH-E1002-08.1 (for non-metal materials) and CPSC-CH-E1001-08.1 (for metal materials). Analysis was performed by ICP-OES and/or ICP-MS.

Test item	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)**
	1	2	3		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	---

Test item	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)**
	4	5	6		
Lead (Pb)	20.6	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	---

Test item	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)**
	7	8	9		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	---

Test item	Results (ppm)		Reporting Limit (ppm)	Permissible Limit (ppm)
	10	11		
Lead (Pb)	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	--	---

\*\* Limit applies to a children's product manufactured after 14 August 2011 (Public Law 112-28 (HR 2715, 112<sup>th</sup> Congress) amending CPSIA)

**Sample Description:**

1. Black Plastic Buckle
2. Black Plastic Adjuster
3. White Plastic Bumper
4. Metal Main Changing Table – Uncoated
5. Metal Main Changing Table – Back – Uncoated
6. Metal Triangle Clip – Side of Changing Table
7. Metal Screw – Side of Changing Table
8. Metal Arm Connecting Bracket to Changing Table
9. Glossy Metal Screw – Center of Bracket
10. Dull Metal Screw – Side of Bracket
11. Metal Wall Bracket

- Note:
1. ppm = parts per million
  2. mg/kg = ppm
  3. 1% = 10000 ppm (mg/kg)
  4. ND = Not Detected

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."*

**2. CPSIA Section 101(f) – Lead in Paint/Similar Surface Coating Materials**

Test Method: With reference to CPSC Test Method: CPSC-CH-E1003-09.1 (for surface coatings). Analysis was performed by ICP-MS.

Test item	Results (ppm)		Reporting Limit (ppm)	Permissible Limit (ppm)
	1	2		
Lead (Pb)	ND	ND	20	90
<b>Conclusion</b>	PASS	PASS	--	---

Sample Description:

1. White Coating
2. Black Coating

- Note:
1. ppm = parts per million
  2. mg/kg = ppm
  3. 1% = 10000 ppm (mg/kg)
  4. ND = Not Detected

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."*

**Test Report**

No. 4715218-TL-01-R2

Date: January 25, 2021

Page 7 of 8

**3. CPSIA Section 108 – Phthalates**

Test Method: With reference to CPSC-CH-C1001-09.4. Analysis was performed by GC-MS.

Phthalates	CAS No.	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-49-1	ND	ND	ND	150	1000
Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	ND	150	1000
Di-n-pentyl Phthalate (DPENP)	131-18.0	ND	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	ND	150	1000
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	150	1000
<b>Conclusion</b>	--	PASS	PASS	PASS	--	--

Phthalates	CAS No.	Results (ppm)		Reporting Limit (ppm)	Permissible Limit (ppm)
		4	5		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-49-1	ND	ND	150	1000

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

**Test Report**

No. 4715218-TL-01-R2

Date: January 25, 2021

Page 8 of 8

Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	150	1000
Di-n-pentyl Phthalate (DPENP)	131-18.0	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	150	1000
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	150	1000
<b>Conclusion</b>	--	PASS	PASS	--	--

Sample Description:

1. Black Plastic Buckle
2. Black Plastic Adjuster
3. White Plastic Bumper
4. White Coating
5. Black Coating

- Note:
1. ppm = parts per million
  2. mg/kg = ppm
  3. 1% = 10000 ppm (mg/kg)
  4. ND = Not Detected

**Signed for and on Behalf of SGS North America, Inc.**



**Manoj Patel, Laboratory Technician**  
Toys & Juvenile Products Testing Lab



**Ramiro Mantilla-Brito, Laboratory Supervisor**  
Toys & Juvenile products Testing Lab

**\*\*\*End of Report\*\*\***

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."*